

»»» BELTAIR PRO P

Cast Iron Piston Compressors

Advanced reliability in
compressed air



PNEUMAX CO., LTD

107/1 Chaloem Phrakiat R.9 Rd., Pravat, Bangkok 10250, Thailand.

Tel. +66 2726 8000

Fax. +66 2726 8266-9

E-mail. sales.air@pneumax.co.th

www.pneumax.co.th

TECHNICAL FEATURES

Strong and robust technology

- Robust, cast iron, single stage pumps designed according to regional specific needs. Low rotation speed and long lifetime.
- Improved cooling with copper outlet pipe, cast iron flywheel, cylinder head with deep cooling fins.
- High quality materials used for the pumps components: cast iron shaft, conrod and cylinders, stainless steel valves.

User comfort

- High quality pressure switch on all units, filter-regulator and panel with quick-coupling connections on single phase units.
- Oil sight glass on the pump to check oil level. Single phase units are equipped with rubber wheels and rubber feet for better stability.

Minimized risk using original parts

- Specially defined preventive and regular maintenance kits and single parts, easy access to documentation.
- Oil with a unique formula for cast iron pump technology prevents components wear and improve cooling.



◀ BELTAIR PRO P 5-140

- | | | |
|-------------------|------------------------|------------------------------------|
| 1 Cast iron pump | 4 Big metal wheels | 7 MOM, ASME or CE certified vessel |
| 2 Oil sight glass | 5 High-efficient motor | |
| 3 Pressure switch | 6 Metal beltguard | 8 Air filters |



PNEUMAX CO., LTD

107/1 Chaloem Phrakiat R.9 Rd., Pravet, Bangkok 10250, Thailand.

Tel. +66 2726 8000

Fax. +66 2726 8266-9

E-mail. sales.air@pneumax.co.th

www.pneumax.co.th

CAST IRON PISTON COMPRESSORS



◀ BELTAIR PRO P 7-270

✓ BELTAIR PRO P 1-50



››› Vessel approvals

- ASME
- CE
- MOM

››› Voltage

- 50Hz
- 60Hz

››› Technical data

Type	Displacement		Max. pressure		Motor		Tank	Pump		Dimension	Weight
Name	l/min	cfm	bar	psi	HP	kW	L	RPM	Cyl/St	L x W x H (mm)	kg
BELTAIR PRO P 1-50	190	6.7	10	145	1.5	1	50	940	2 / 1	860 x 445 x 780	60
BELTAIR PRO P 2-100	300	10.6	10	145	2	1,5	100	1200	2 / 1	920 x 510 x 840	83
BELTAIR PRO P 3-100	400	14.1	10	145	3	2,2	100	995	2 / 1	920 x 510 x 840	93
BELTAIR PRO P 5-140	720	25.4	10	145	5,5	4	140	850	2 / 1	1360 x 440 x 1040	171
BELTAIR PRO P 7-270	1030	36.7	10	145	7,5	5,5	270	770	2 / 1	1560 x 540 x 1240	250
BELTAIR PRO P 10-270	1470	51.9	10	145	10	7,5	270	800	2 / 1	1560 x 640 x 1280	290
BELTAIR PRO P 15-500	2150	75.9	10	145	15	11	500	870	2 / 1	2000 x 710 x 1370	465



PNEUMAX CO., LTD

107/1 Chaloem Phrakiat R.9 Rd., Pravet, Bangkok 10250, Thailand.

Tel. +66 2726 8000

Fax. +66 2726 8266-9

E-mail. sales.air@pneumax.co.th

www.pneumax.co.th

Cast Iron Piston Compressors



- A high quality product offering you **technology you can trust**.
- Our products are **easy to use** and guarantee high **reliability**.
- Distributors are always nearby ensuring **availability** of both products and support.
- Choosing our high performance products entails a **partnership** that will boost your business.
- Safeguarding long-term productivity through optimal **serviceability** and use of original parts.



Care. Trust. Efficiency.

Care.

Care is what service is all about: professional service by knowledgeable people, using high-quality original parts.

Trust.

Trust is earned by delivering on our promises of reliable, uninterrupted performance and long equipment lifetime.

Efficiency.

Equipment efficiency is ensured by regular maintenance. Efficiency of the service organization is how Original Parts and Service make the difference.



PNEUMAX CO., LTD

107/1 Chaloem Phrakiat R.9 Rd., Pravet, Bangkok 10250, Thailand.

Tel. +66 2726 8000

Fax. +66 2726 8266-9

E-mail. sales.air@pneumax.co.th

www.pneumax.co.th



Contact your local Ceccato representative now!

www.ceccato-compressors.com

6999100500

© 2019, Ceccato. All rights reserved. All mentioned brands, product names, company names, trademarks and service marks are the properties of their respective owners. Our products are constantly being developed and improved. We thus reserve the right to modify product specifications without prior notice. Pictures are not contractually binding.